


## CLAIMS

1. A method for removing water from surfaces of various materials, comprising the steps of covering said surface with a composition having a specific weight higher than that of the water and subsequently removing water from the composition by skimming, wherein a composition essentially consisting of the following components is used:


A) a non ionic additive having a fluoropolyether structure with a fluorinated T end group containing one chlorine atom, having the following formula:



wherein



wherein:



with  $R'' = H; C_{1-3}$  alkyl,

T is a fluorinated radical selected from  $ClCF_2CF(CF_3)-$ ,  $CF_3CFC_1CF_2-$ ,  $ClCF_2CF_2-$ ,  $ClCF_2-$ ,

$Y = CF_3$  or  $F$ ,

the radical  $R_f$  being of (per)fluoropolyether type; being in said additive of formula (I):

- the number average molecular weight of the

00995673-112901

Sub  
B 1

fluoroether part  $T-OR_f-$  in the range 400-2,000,

the ratio by weight (K) between the fluorinated part and the hydrogenated L part of the additive is in the range 1.50-4.00; the n parameter in formula (Ia) being such as to meet said ratio;

B) a perfluoropolyether having number average molecular weight in the range 300-900, the ratio  $K^I$  between the number average molecular weight of the fluoropolyether part  $T-OR_f-$  of the additive and the number average molecular weight of component B) being higher than 1.60.


2. A method according to claim 1, wherein the number average molecular weight of the fluoroether part  $T-OR_f-$  of the compounds of formula (I) component A) is preferably in the range 500-1,200, still more preferably in the range 600-1,000.
3. A method according to claims 1-2, wherein the perfluoropolyether component B) has number average molecular weight preferably in the range 300-650.
4. A method according to claims 1-3, wherein the radical  $R_f$  of fluoropolyether type preferably comprises repeating units statistically distributed along the polymer chain

105211 E2956660


*Sum*  
*#1*  
*B2*

selected from:  $(CF_2CF_2O)$ ,  $(CFYO)$  wherein Y is equal to F or  $CF_3$ ,  $(C_3F_6O)$ ;  $(CF_2(CF_2)_zO)$  wherein z is an integer equal to 2 or 3,  $(CF_2CF(OR_f)O)$ ,  $(CF(OR_f)O)$  wherein  $R_f$  is equal to  $-CF_3$ ,  $-C_2F_5$ ,  $-C_3F_7$ ;  $CR_4R_5CF_2CF_2O$  wherein  $R_4$  and  $R_5$  are equal to or different from each other and selected between Cl or perfluoroalkyl, preferably having 1-4 carbon atoms.


5. A method according to claim 4, wherein the group  $R_f$  comprises the following repeating units:




wherein Y is F or  $CF_3$ ; a and b are integers such that the molecular weight is in the above range; a/b is in the range 10-100;




wherein c, d and h are integers such that the molecular weight is within the above range; c/d is in the range 0.1-10;  $h/(c+d)$  is in the range 0-0.05, z has the above value, h can be equal to 0;




wherein Y is F or  $CF_3$ ; e, f, g are integers such that the molecular weight is within the above range;  $e/(f+g)$  is in the range 0.1-10, f/g is in the range 2-10;




wherein:  $R_f$  is  $-CF_3$ ,  $-C_2F_5$ ,  $-C_3F_7$ ;  $j, k, l$  are integers such that the molecular weight is within the above range;  $k+1$  and  $j+k+1$  are at least equal to 2,  $k/(j+1)$  is in the range 0.01-1,000,  $1/j$  is in the range 0.01-100;



wherein  $s$  is an integer such as to give the above molecular weight,  $z$  has the already defined meaning;




wherein  $R_4$  and  $R_5$  are equal to or different from each other and selected from H, Cl or perfluoroalkyl, having 1-4 carbon atoms,  $j'$  being an integer such that the molecular weight is the above one;



$j''$  being an integer such to give the above molecular weight.

6. A method according to claims 1-5, wherein the value  $K^I$  is higher than 2.00 and preferably in the range 2.00-3.00.

7. A method according to claims 1-6, wherein the perfluoropolyether component B) preferably has the following structure:



wherein:


$R_f$  has the above meaning;

0995567-11901  
T062T-E2956560


Sub  
A2  
B4

T' and T", equal to or different, are selected from  $-\text{CF}_3$ ,  $-\text{C}_2\text{F}_5$ ,  $-\text{C}_3\text{F}_7$ .

8. A method according to claim 7, wherein the perfluoropolyether component B) has a structure selected from the following:



wherein Y = F or  $\text{CF}_3$ , a" and b" are integers such that the molecular weight is within the range with a"/b" in the range 1-40; T' and T" are as above defined.



wherein p and q are integers such that the molecular weight is within the indicated range with p/q in the range 0.6-1.2; T' and T" are as above.



wherein s' is an integer such that the molecular weight is within the indicated range; T' and T" are as above.

9. A method according to claims 1-8, wherein the amount of additive A) in the compositions is lower than or equal to 0.1% by weight, preferably lower than 0.05% with respect to the total weight of the composition.

10. A composition according to claims 1-9.

11. Non ionic additive having a fluoropolyether structure

according to claims 1-9.

Add  
Ble

0995573 112901